TECHNICAL SPECIFICATIONS



ZYPHO iZi BATHTUB

Zypho® iZi Bathtub is compatible with all bathtubs with standard 52 diameter hole, preventing odours from rising with its 50mm water guard. Innovative properties like extra filter capacity + adjustable feet + double wall coil according EN 1717 + improved comfort during assembly and cleaning, gives absolute security to the installation, both for the installer and the user



Easy to install



Legionella free



Easy to clean



Up to 40% energy efficiency



High performance filters



5 years warranty



No Power No Batteries. No Wires




Over 15 000 installations around the world
















TECHNICAL DRAWING







DESCRIPTION PROJECT Zypho iZi Bathtub DATE TOLERANCE SCALE UNITS VERSION MG_DTEN0320V1					
Technical drawing PROJECT Zypho iZi Bathtub DESIGNER J. Meliço DATE TOLERANCE SCALE UNITS VERSION	2	COMPANY	Zyph	o, S.A.	
PROJECT Zypho iZi Bathtub J. Meliço DATE TOLERANCE SCALE UNITS VERSION	DESCRIPTION				
Zypho iZi Bathtub J. Meliço DATE TOLERANCE SCALE UNITS VERSION			Technica	al drawi	ng
DATE TOLERANCE SCALE UNITS VERSION	PROJECT				DESIGNER
		Zypho iZi Bathtub			J. Meliço
20/04/20 +/- 2% 1:10 mm MG_DTEN0320V1	DATE	TOLERANCE	SCALE	UNITS	VERSION
	20/04/20	+/- 2%	1:10	mm	MG_DTEN0320V1